




simplymidwest

SENIOR CAPSTONE PROJECT | EMMA WILSON | SPRING 2015

INDEX OF SHEETS		
Sheet Number	Sheet Name	Current Revision Date
A1.0	COVER SHEET	
A1.1	TITLE SHEET	
A1.2	CODE & LIFE SAFETY PLAN	
A1.3	DEMOLITION PLAN	
A2.1	PARTITION PLAN	
A2.2	REFLECTED CEILING PLAN	
A2.3	POWER & COMMUNICATIONS PLAN	
A2.4	FINISH PLAN	
A2.5	FURNITURE PLAN	
A2.6	SCHEDULES & LEGENDS	
A3.1	ENLARGED PLANS	
A3.2	ELEVATIONS	
A3.3	SECTIONS	
A4.1	DETAILS	
A4.2	DETAIL ITEMS	
A4.3	DETAIL ITEMS	



EMMA R. WILSON
STUDIO 8
SPRING 2015



FRANKFORT GRADE SCHOOL
450 N LOCUST STREET
FRANKFORT, KS 66427

BUILDING CODES

NATIONAL BUILDING CODES


- * SBCCI STANDARD BUILDING CODE (INTERNATIONAL BUILDING CODE), 1994 EDITION, WITH STATE AMENDMENTS
- * SBCCI STANDARD GAS CODE (INTERNATIONAL FUEL GAS CODE), 2000 EDITION, WITH STATE AMENDMENTS
- * SBCCI STANDARD MECHANICAL CODE (INTERNATIONAL MECHANICAL CODE), 2000 EDITION, WITH STATE AMENDMENTS
- * SBCCI STANDARD PLUMBING CODE (INTERNATIONAL BUILDING CODE), 2000 EDITION, WITH STATE AMENDMENTS
- * NFPA NATIONAL ELECTRICAL CODE, 1999 EDITION WITH STATE AMENDMENTS
- * SBCCI STANDARD FIRE PREVENTION CODE (INTERNATIONAL FIRE CODE), 1994 EDITION WITH STATE AMENDMENTS
- * NFPA 101 LIFE SAFETY CODE, 2000 EDITION

LOCAL BUILDING CODES

- *INTERNATIONAL ENERGY CONSERVATION CODE, 2000 EDITION WITH STATE AMENDMENTS
- * INTERNATIONAL BUILDING CODE, 2009, 2010 EDITION WITH STATE AMENDMENTS
- *INTERNATIONAL PLUMBING CODE, 2009, 2010 EDITION WITH STATE AMENDMENTS
- * INTERNATIONAL MECHANICAL CODE, 2009, 2010, EDITION WITH STATE AMENDMENTS
- * NATIONAL ELECTRICAL CODE, 2008, 2010 EDITION WITH STATE AMENDMENTS
- * INTERNATIONAL ENERGY CONSERVATION CODE, 2009, 2010, EDITION WITH STATE AMENDMENTS
- * INTERNATIONAL RESIDENTIAL CODE, 2009, 2010 EDITION WITH STATE AMENDMENTS


OCCUPANCY SCHEDULE

NAME	NUMBER	CLASS	FLOOR AREA IN SQFT	AREA	FLOOR AREA PER OCCUPANT	OCCUPANT LOAD
CLASSROOMS (4)	7, 8, 10, 11	BUSINESS	50 NET	1582 SQ. FT.	1582/50	31
MARKET	4	MERCANTILE	60 NET	1997 SQ. FT.	1997/60	33
CAFE	2	ASSEMBLY	15 NET	1455 SQ. FT.	1455/15	97
MECHANICAL	1					
STORAGE	5	STORAGE (S2)	300 GROSS	139 SQ. FT.	139/300	1
GUEST STAY	-	RESIDENTIAL	200 GROSS	5467 SQ. FT.	5467/200	27
OFFICE SPACE	-	BUSINESS	50 NET	1361 SQ. FT.	1361/50	27
LOUNGE	-	ASSEMBLY	15 NET			
COMMERCIAL KITCHEN	-	KITCHEN	200 GROSS	1247 SQ. FT.	1247/200	6



TENANT DATA

SCOPE OF WORK	HISTORIC REVITALIZATION	
AREA OF TENANT SPACE	USF	
NUMBER OF EMPLOYEES	TO BE CONFIRMED	
MAX OCCUPANCY LOAD	163	FRANKFORT GRADE SCHOOL 450 N. LOCUST STREET FRANKFORT, KS 66427
OCCUPANCY TYPE	ASSEMBLY, MERCANTILE, BUSINESS	
CONSTRUCTION TYPE	IIIA	
SPRINKLERED	YES	
MINIMUM INTERIOR FINISH CLASS	C	



ABBREVIATIONS

ACT	ACOUSTIC CEILING TILE
A.F.F.	ABOVE FINISHED FLOOR
F.E.C.	FIRE EXTINGUISHER
GC	GENERAL CONTRACTOR
GYP	GYPSUM WALL BOARD
NTS	NOT TO SCALE
O.C.	ON CENTER

PROJECT TEAM

OWNER	DESIGNER
FRANKFORT BOARD OF TRUSTEES	EMMA WILSON
FRANKFORT, KS	MANHATTAN, KS
450 N. LOCUST STREET	813 VATTIER STREET
FRANKFORT, KS 66427	MANHATTAN, KS 66502

ISSUE DATE




Frankfort Grade School

TITLE SHEET

Project number	Project Number
Date	05.04.15
Drawn by	EW
Checked by	BO + MD
A1.1	
Scale	1/4" = 1'-0"

Project number	Project Number
Date	05.04.15
Drawn by	EW
Checked by	BO + MD

GENERAL NOTES

-  1 HR FIRE-RATED DOOR
-  EMERGENCY EXIT SIGN
- F.E.C. FIRE EXTINGUISHER CABINET
-  1 HR FIRE-RATED WALL







EGRESS MEASUREMENTS


DIAGONAL DISTANCE	113' - 6"
EGRESS DISTANCE	39' - 4"
COMMON PATH OF TRAVEL	59' - 9"
TRAVEL DISTANCE A	62' - 9"
TRAVEL DISTANCE B	94' - 9"
TRAVEL DISTANCE C	80' - 3"

** TRAVEL DISTANCE INCLUDES COMMON PATH

$(113' - 7") / (1/3) = 37' - 10"$

LIFE SAFETY LEGEND

-  DIAGONAL DISTANCE
-  EGRESS DISTANCE
-  COMMON PATH OF TRAVEL
-  TRAVEL DISTANCE (A)
-  TRAVEL DISTANCE (B)
-  TRAVEL DISTANCE (C)







1 FIRST FLOOR CODE & LIFE SAFETY PLAN
1/8" = 1'-0"




GENERAL NOTES


1. THE GENERAL CONTRACTOR SHALL FURNISH ALL LABOR AND MATERIALS REQUIRED TO COMPLETE DEMOLITION, REMOVAL, AND RE-USE OF ALL ITEMS SHOWN ON DRAWINGS.
2. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR TAKING ADEQUATE PRECAUTIONS TO PROTECT BUILDING OCCUPANTS, MATERIALS, AND EXISTING FINISHES THROUGHOUT ALL PHASES OF CONSTRUCTION AREAS OCCUPIED OR PUBLIC AREAS ARE TO BE MAINTAINED BY THE GENERAL CONTRACTOR. ANY DAMAGE TO EXISTING-TO-REMAIN CONSTRUCTION, MATERIALS, OR EQUIPMENT MUST BE RESTORED TO THERE ORIGINAL CONDITION.
3. ALL WORK DEMOLISHED SHALL BE REMOVED FROM THE PREMISES DAILY, EXCEPT ITEMS TO BE RE-USED OR RETURNED TO THE OWNER, OR AS DIRECTED OTHERWISE.
4. THE GENERAL CONTRACTOR SHALL REMOVE ALL WALL CONDUITS, SWITCH PLATES, TELEPHONE OR ELECTRICAL WIRING OR EQUIPMENT, ETC. TO THE SOURCE AFTER WALL DEMOLITION.
5. REFER TO FLOOR PLANS FOR EXISTING CONSTRUCTION TO REMAIN AND EXTENT OF DEMOLITION. ALL EXISTING DOORS, FRAMES, HARDWARE, CABINETRY, AND OTHER BUILDING STANDARD COMPONENTS REMOVED DURING DEMOLITION ARE TO BE PROVIDED TO CONSTRUCTION TEAM TO RE-USE FOR NEW CONSTRUCTION.
6. NOTIFY ARCHITECT IMMEDIATELY OF ANY PIPES, POSTS, DUCTWORK, SPRINKLER LINE, OR MISCELLANEOUS EQUIPMENT CONFLICTS TO NEW PARTITION AND REFLECTED CEILING PLAN AFTER DEMOLITION IS COMPLETE.

LEGEND

-  EXISTING WALL TO BE DEMOLISHED
-  EXISTING DOOR TO BE DEMOLISHED
-  EXISTING FLOOR TO BE REMOVED
-  EXISTING INTERIOR WALLS TO REMAIN

PLAN NOTES

-  REMOVE EXISTING DOORS AND FRAMES AND SAVE FOR RE-USE.
-  EXISTING STRUCTURAL WALL TO REMAIN.
-  FLOOR TO BE REMOVED. CONFIRM STRUCTURAL INTEGRITY OF OPENING WITH STRUCTURAL ENGINEER.




1 FIRST FLOOR DEMOLITION PLAN
1/8" = 1'-0"

- GENERAL NOTES**
1. VERIFY ALL STRUCTURAL, MECHANICAL, AND ELECTRICAL REQUIREMENTS AND COORDINATE REQUIRED CHANGES WITH ARCHITECT PRIOR TO CONSTRUCTION.
 2. ALL WOOD BLOCKING USED INSIDE PARTITIONS MUST BE FIRE RATED.
 3. VERIFY EXISTING PARTITIONS ARE TO CODE WITH SOUND INSULATION. REWORK IF NECESSARY.
 4. ALL INTERIOR PARTITIONS ARE 3-5/8" GYPSUM BOARD UNLESS SPECIFIED OTHERWISE.
 5. EXISTING DOORS TO REMAIN PROTECTED DURING CONSTRUCTION.

- PARTITION LEGEND**
- 1 ONE HOUR FIRE RATED 5 5/8" MTL STUDS AT 18" O.C. W/ 5/8" GYP BD ON EACH FACE. EXTEND WALL TIGHT TO DECK ABOVE. PROVIDE BATT INSULATION FOR SOUND CONTROL.
 - 2 TWO HOUR RATED SHAFT WALL

- PLAN NOTES**
- EXISTING WALLS TO REMAIN
 - 1 WALKING RAMP TO BE BUILT TO MEET ADA CODE REQUIREMENTS AND SPECIFICATIONS AND TO MATCH EXISTING CONSTRUCTION

Project number	Project Number
Date	05.04.15
Drawn by	EW
Checked by	BO + MD



1 FIRST FLOOR PARTITION PLAN
1/8" = 1'-0"

GENERAL NOTES

1. CONTRACTOR TO REWORK BASE BUILDING SPRINKLER LOCATIONS AS NECESSARY TO MEET ALL CODES AND TO COORDINATE WITH NEW LIGHTING LAYOUT. CONTRACTOR MUST VISIT THE PREMISES TO SEE EXISTING CONDITIONS PRIOR TO SUBMITTING A COST QUOTATION.

2. PROVIDE EMERGENCY LIGHTING, STROBES, ALARMS, FIRE PULLS AND SMOKE DETECTORS AS REQUIRED BY CODE.

3. ALL EXIT SIGNS TO BE CLEANED, REPAIRED, OR REPLACED BEFORE REINSTALLATION.

4. ALL RELOCATED SWITCHES, RECEPTACLES, AND COVER PLATES ARE TO BE PROVIDED TO COLONIAL PROPERTIES FOR REUSE.

5. CONTRACTOR TO REWORK HVAC SUPPLY AND RETURN LOCATIONS AS NECESSARY TO MEET ALL CODES AND TO COORDINATE WITH NEW LIGHTING LAYOUT. CONTRACTOR TO VISIT THE PREMISES TO SEE EXISTING CONDITIONS PRIOR TO SUBMITTING A COST QUOTATION.

NOTIFY DESIGNER IMMEDIATELY OF ANY CLEARANCE CONFLICTS WITH LIGHT FIXTURES DUE TO EXISTING OR RELOCATED ITEMS (DUCTWORK, SPRINKLER LINES, ETC.) ABOVE CEILING.

RCP LEGEND

	6" RECESSED DOWNLIGHT
	HVAC MINI-SPLIT WALL UNIT
	SPRINKLER HEAD
	EMERGENCY LIGHTING
	SMOKE DETECTOR
	PENDANT LIGHTING
	DENOTES AREA FOR 3-FORM GRID SYSTEM (SEE SPEC MANUAL FOR INSTALLATION)
	EXIT SIGN
	DIRECTIONAL CAN LIGHT

CEILING TYPES


A1	2X2 ACOUSTIC CEILING TILES; SEE SPEC SHEET ATTACHED
GYP	3/8" GYPSUM WALLBOARD

PLAN NOTES


1 GYPSUM BOARD BEAMS 11' A.F.F.

2 DASHED AREA SHOWS WHERE DITTO CEILING GRID (3-FORM) WILL BE LOCATED; 3-D SNAP TOGETHER INSTALLATION TO BE FOLLOWED; SEE FULL SPECIFICATION ATTACHED FOR INSTALLATION AND PRODUCT DETAILS.

3 CONTROL STATION FOR LIGHTING



1 FIRST FLOOR REFLECTED CEILING PLAN
1/8" = 1'-0"



1 FIRST FLOOR POWER & COMMUNICATION PLAN
1/8" = 1'-0"

GENERAL NOTES

1. CONTRACTOR TO VERIFY EXISTING ELECTRICAL PANELS AND CONDITIONS. ANY NECESSARY CHANGES TO ARCHITECTURAL DRAWINGS DUE TO EXISTING CONDITIONS MUST BE DIRECTED TO THE OWNER AND/OR ARCHITECT BEFORE WORK IS STARTED.
2. REMOVE ALL CABLE BACK TO SOURCE, PATCH WITH DRYWALL AND PAINT, THIS IS FOR ALL ELECTRICAL AND DATA DEVICES BEING DEMOLISHED
3. ALL OUTLETS TO BE INSTALLED AT 18" AFF ON CENTER UNLESS OTHERWISE NOTED.
4. OUTLETS LOCATED ABOVE ANY COUNTERS ARE MOUNTED AT 48"
5. VERIFY AND COORDINATE INSTALLATION OF OUTLETS IN MILLWORK, FREESTANDING FURNITURE, AND EQUIPMENT. OUTLETS ARE NOT TO BE LOCATED BEHIND CABINETS.
6. WALL-MOUNTED OUTLETS SHALL BE SUPPORTED BY STUD AT ALL LOCATIONS.
7. OUTLETS OCCURRING IN OR ABOVE BACKSPLASH OF COUNTERTOPS SHALL BE MOUNTED HORIZONTALLY.
8. CONTRACTOR SHALL VERIFY REQUIREMENTS FOR TENANT'S EXISTING EQUIPMENT AND COORDINATE ADDITIONAL POWER AND PHONE/DATA AS NEEDED.
9. CONTRACTOR TO COORDINATE NEW POWER AND PHONE/DATA FOR SERVER AND TELEPHONE BOARD WITH TEAT PRIOR TO ORERNG AND INSTALLATION.

LEGEND

	SINGLE DUBLEX OUTLET
	SINGLE DUBLEX FLOOR OUTLET
	SECURITY CONTROL SYSTEM

KANSAS STATE UNIVERSITY

EMMA R. WILSON
STUDIO 8
SPRING 2015

simplymidwest

FRANKFORT GRADE SCHOOL
450 N LOCUST STREET
FRANKFORT, KS 66427

ISSUE DATE


Frankfort Grade School

POWER & COMMUNICATIONS

Project number	PLAN	Project Number
Date		05.04.15
Drawn by		EW
Checked by		BO + MD

A2.3

Scale 1/8" = 1'-0"



1 FIRST FLOOR FINISH PLAN
1/8" = 1'-0"

GENERAL NOTES

1. PATCH AND REPAIR ALL FINISHES DUE TO CONSTRUCTION
2. CONTRACTOR TO RESTORE WOOD FLOORING AND MAKE REPAIRS AS NECESSARY FOR RE-USE.
3. CONTRACTOR TO PREPARE WALLS TO RECEIVE NEW PAINT.
4. USE CONTINUOUS ROLL RUBBER BASE.
5. PAINT: STANDARD PAINT TO BE USED ON WALLS UNLESS NOTED OTHERWISE.
6. H.M. DOOR FRAMES TO BE PAINTED TO MATCH ADJACENT WALLS.
7. ALL FINISHES WILL BE CLASS "C" MINIMUM UNLESS OTHERWISE NOTED.
8. ALL DOOR SADDLES ARE MADE OF STAINLESS STEEL.

PLAN NOTES

- 1 SEE PAGE A2.6 FOR FINISH SCHEDULES AND LEGENDS
- 2 RETRACTABLE ROLLER SHADES WILL PROVIDE SUN PROTECTION FOR ALL EXISTING WINDOWS

KANSAS STATE
UNIVERSITY

EMMA R. WILSON
STUDIO 8
SPRING 2015

simplymidwest

FRANKFORT GRADE SCHOOL
450 N LOCUST STREET
FRANKFORT, KS 66427

ISSUE DATE


Frankfort Grade School

FINISH PLAN

Project number	Project Number
Date	05.04.15
Drawn by	EW
Checked by	BO + MD

A2.4

Scale	1/8" = 1'-0"
-------	--------------



1 FIRST FLOOR FURNITURE PLAN
1/8" = 1'-0"

GENERAL NOTES

1. REFERENCE FF&E SPECIFICATION MANUAL FOR FURNITURE DETAILS
2. SEE PAGE A2.6 FOR FULL FURNITURE SCHEDULE

PLAN NOTES

1. ALL WALLS TO BE PT-1 UNLESS NOTED OTHERWISE.
2. ALL WALL BASE TO BE B-1 UNLESS NOTED OTHERWISE
3. ALL FLOOR TO BE F-1 UNLESS NOTED OTHERWISE
4. ALL GYPSUM CEILINGS TO BE PAINTED PT-3 UNLESS NOTED OTHERWISE.

KANSAS STATE UNIVERSITY

EMMA R. WILSON
STUDIO 8
SPRING 2015

simplymidwest

FRANKFORT GRADE SCHOOL
450 N LOCUST STREET
FRANKFORT, KS 66427

ISSUE DATE

Frankfort Grade School

FURNITURE PLAN

Project number	Project Number
Date	05.04.15
Drawn by	EW
Checked by	BO + MD

A2.5

Scale	1/8" = 1'-0"
-------	--------------

**SCHEDULES &
LEGENDS**

Project number	Project Number
Date	05.04.15
Drawn by	EW
Checked by	BO + MD

A2.6

Scale


ROOM FINISH SCHEDULE

Number	Name	Base Finish	Floor Finish	Wall Finish	Ceiling Finish
1	MECHANICAL	B-1	WD-1	PNT-1	PNT-3
2	CAFE	B-1	WD-1	PNT-2	PNT-3
3	TOWN HALL	B-1	WD-1	-	PNT-3
4	MARKET	B-1	WD-1	PNT-2	PNT-3
5	STORAGE	B-1	WD-1	PNT-1	PNT-3
6	EXIT STAIR	B-1	WD-1	PNT-1	PNT-3
7	CLASSROOM	B-1	WD-1	PNT-1	PNT-3
8	CLASSROOM	B-1	WD-1	PNT-1	PNT-3
9	FOYER	B-1	WD-1	PNT-1	PNT-3
10	CLASSROOM	B-1	WD-1	PNT-1	PNT-3
11	CLASSROOM	B-1	WD-1	PNT-1	PNT-3
12	EXIT STAIR	B-1	WD-1	PNT-1	PNT-3


FINISH LEGEND

Key Name	Product	Manufacturer	Style	Size	Color	Notes
B-1	VINYL WALL BASE	ARMSTRONG	STRAIGHT TRIM	4" H	MILK	
PNT-1	GLOSS WALL PAINT	SHERWIN WILLIAMS	SW 7031	-	MEGA GREIGE	
PNT-2	GLOSS WALL PAINT	SHERWIN WILLIAMS	SW 6529	-	SCANDA	
PNT-3	MATTE CEILING PAINT	SHERWIN WILLIAMS	SW 6000	-	SNOWFALL	
SS-1	COUNTERTOP	-	-	-	-	PRE-CAST CONCRETE
SS-2	PLYWOOD	-	-	-	-	EXISTING WOODWORK TO BE REFINISHED
WD-1	WOOD FLOORING	-	-	-	-	EXISTING FLOORING TO BE REFINISHED

Project number	Project Number
Date	05.04.15
Drawn by	EW
Checked by	BO + MD







① CAFE AREA
1/4" = 1'-0"




② MERCANTILE AREA
1/4" = 1'-0"

Project number	Project Number
Date	05.04.15
Drawn by	EW
Checked by	BO + MD


Scale	3/8" = 1'-0"
-------	--------------



Project number	Project Number
Date	05.04.15
Drawn by	EW
Checked by	BO + MD




1 SOUTHWEST WALL
3/16" = 1'-0"




2 NORTHEAST WALL
3/16" = 1'-0"

Project number	Project Number
Date	05.04.15
Drawn by	EW
Checked by	BO + MD




① BENCH & DEMONSTRATION TABLE
1 1/2" = 1'-0"




② MERCHANDISE STAND
1 1/2" = 1'-0"


Project number	Project Number
Date	05.04.15
Drawn by	EW
Checked by	BO + MD




1 CRATE DETAIL
1 1/2" = 1'-0"



2 PARTITION TYPE 1
1/4" = 1'-0"



2 MERCHANDISE STAND





2 PARTITION TYPE 2
1/4" = 1'-0"

Project number	Project Number
Date	05.04.15
Drawn by	EW
Checked by	BO + MD





MARK	TYPE	WIDTH	HEIGHT	DOOR FUNCTION / MATERIALS	RATING
01	A	0' - 36"	0' - 84"	TYPICAL; HOLLOW WOOD FRAME; PAINTED	N/A
02	A	0' - 36"	0' - 84"	TYPICAL; HOLLOW WOOD FRAME; PAINTED	N/A
03	B	0' - 36"	0' - 84"	EGRESS STAIR EXIT; HOLLOW WOOD FRAME; PAINTED	1-HR
04	B	0' - 36"	0' - 84"	EGRESS STAIR EXIT; HOLLOW WOOD FRAME; PAINTED	1-HR
05	A	0' - 36"	0' - 84"	TYPICAL; HOLLOW WOOD FRAME; PAINTED	N/A
06	A	0' - 36"	0' - 84"	TYPICAL; HOLLOW WOOD FRAME; PAINTED	N/A
07	A	0' - 36"	0' - 84"	TYPICAL; HOLLOW WOOD FRAME; PAINTED	N/A
08	A	0' - 36"	0' - 84"	TYPICAL; HOLLOW WOOD FRAME; PAINTED	N/A
09	B	0' - 36"	0' - 84"	EGRESS STAIR EXIT; HOLLOW WOOD FRAME; PAINTED	1-HR
10	B	0' - 36"	0' - 84"	EGRESS STAIR EXIT; HOLLOW WOOD FRAME; PAINTED	1-HR
11	C	0' - 36"	0' - 84"	180 DEGREE DOOR SWING; ELEVATOR FIRE PROTECTION	2-HR
12	D	0' - 48"	0' - 96"	SINGLE-GLASS PANELS, ENTRY DOORWAY	1-HR

DOOR SCHEDULE
1/4" = 1'-0"



DOOR HEAD DETAIL
1/4" = 1'-0"

DOOR JAMB DETAIL
1/4" = 1'-0"



1 TYPE A
1/2" = 1'-0"

2 TYPE B
1/2" = 1'-0"

3 TYPE C
1/2" = 1'-0"

4 TYPE D
1/2" = 1'-0"